

THEATRE TECHNICAL SPECIFICATION UPDATED MAY 2022

THEATRE HIRE

Our theatre is available for hire for amateur, community and professional shows, seating 399 people.

We have 5 additional rooms available for break away groups to carryout individual activities, including the hire of the theatre during daytime events. We also hire the Theatre Lounge for private events for up to 200 people. Full catering can also be provided.

BACKSTAGE AREA

Back stage the theatre consists of 1 stars dressing room, 2 large dressing rooms, 1 small dressing room, a scenery dock and a make-up bench.

The stars dressing room includes washing facilities. There is an active intercom system to contact the dressing rooms from the wings of the stage. This can also act as a prompt or cue devise for the performers. The stars dressing room includes washing facilities. There is an active intercom system to contact the dressing rooms from the wings of the stage. This can also act as a prompt or cue devise for the performers.

HIRE INFORMATION

Stage dimensions: Max height of flats 4.3m (14ft)

Max size of components: 4.3m x 1800 (14ft x 6ft) (Due to restricted access)

Maximum size of cloths: 5.2m high x 8m wide (17ft x 27ft)

There are 16 fly-lines which can accommodate single or tab-tracks extra tracks are available

Overall width of stage: 11.4m (37ft)

Proscenium arch width: 6.9m (22ft)

POWER SUPPLY

32 Amp, Single Phase

16 Amp, Single Phase

2x 32 Amp, Thee Phase

2x 62 Amp Lock Off (If not using any of our lighting supply)

LIGHTING

Liuittinu
24 2K Dimmer Channels
(6 FOH, 6 BAR 1, 6 BAR 2, 6 BAR 3)
1 LeapFrog 48
12 Par 64's
14 LEDJ Performer (RGBWA) Par Cans
4 LEDJ Performer Hez (RGBWAUV) Par Cans
4 Mini Fresnels
4 Chauvet F-145w Fresnels
6 Chauvet E-260w Profile
8 Chauvet Ovation P56FC
2 Chauvet Intimidator Spot 375Z
2-575 CT Follow Spots
2-400w UV Cannons
32AMP Single Phase Stage Managers Side Single Phase
6 Double Sockets Around Stage
IN-HOUSE PASYSTEM
3 NO. RCF HDL 10-A - Active Line Array Module 4.2K Peak Power 2.1K RMS

3 NO. RCF HDL 10-A - Active Line Array Module 4.2K Peak Power 2.1K RMS
1 NO. RCF HDL15-AS - Flyable Subwoofer 2K Peak Power 1K RMS
Total Peak Power 10.4K
Total RMS Power 5.2K
1 QU-24 Digital Desk
1 12-4 Snake On Stage XLR
6 Fold Back Speakers

(8 Separate Mixes Available)

MICROPHONES

2 Sennheiser G4 Beltpac

5 TM Series Hand-Held

2 Shure SM58

2 T-Bone Studio Condenser Mics

4 T-Bone Boundary Mics

2 Shotgun Mics

1 AKG P2 Bass Drum Microphone

2 AKG P17 Overheads

4 AKG Drum Mixs

4 Boom Mic Stands

2 Straight Mic Stands

TECHNICAL CONTACTS

Max Siggs
Technical Manager
T: +44 (07985 186 555
technical@stamfordcornexchange.co.uk

Judith Mackie
Theatre Manager
T: +44 (0)7969 753 713
manager@stamfordcornexchange.co.uk

VENUE INFO

Stamford Corn Exchange Theatre Broad Street Stamford PE9 1PX

Tel: 01780 766455 info@stamfordcornexchange.co.uk stamfordcornexchangetheatre.co.uk Vat No: 82979976 Charity No: 1092736 Company No: 4135921